

# Machine Learning Classifiers Based Classification For IRIS Recognition

K. Kalpana <sup>1</sup>, M. Kranthi <sup>2</sup>

<sup>1</sup> Assistant professor, Assistant Professor <sup>2</sup>

Department of Computer Science Engineering  
RISE Krishna Sai Prakasam Group of Institutions

Abstract—Classification is the most widely applied machine learning problem today, with implementations in face recognition, flower classification, clustering, and other fields. The goal of this paper is to organize and identify a set of data objects. The study employs K-nearest neighbors, decision tree (j48), and random forest algorithms, and then compares their performance using the IRIS dataset. The results of the comparison analysis showed that the K-nearest neighbors outperformed the other classifiers. Also, the random forest classifier worked better than the decision tree (j48). Finally, the best result obtained by this study is 100% and there is no error rate for the classifier that was obtained. Keywords—Data Mining, Classification, Decision Tree, Random Forest, K-nearest neighbors

Nowadays, the data online is massive, and it is growing on a daily basis. It is essential to handle such vast amounts of data and to view the most relevant queries on the user's computer. Since manually analyzing and retrieving relevant data from vast databases is impossible, automatic extraction tools are needed, which enable user-queried data to be retrieved from billions of sites on the internet and relevant knowledge to be discovered. Search engines such as Yahoo, Bing, MSN, and Google are commonly used by users to obtain data from the World Wide Web [1], [2]. Data mining is also used to explore and derive information from data warehouses. Data mining is a method of processing user data and extracting data from vast data warehouses that employ a variety of trends, intelligent processes, algorithms, and software. This approach will assist companies in evaluating results, forecasting potential patterns, and predicting user behavior. For relevant data extraction, data mining involves four techniques phases

## I. INTRODUCTION

[3], [4], [5]. A data base is a set of information from different sources, a vast database that can include issue definitions. Data discovery is the method of collecting valuable knowledge from vast volumes of unfamiliar data [6]. The third stage is modeling, which entails creating and evaluating various templates. Finally, in the final phase of data mining techniques, validated models are implemented [7]. Data mining methods may be used by businesses to turn raw data into useful facts. By understanding all about consumer actions, it will also assist companies in enhancing their communication campaigns and growing revenues [8], [9]. Moreover, this data should be properly classified to benefit from its great use. Classification tries to predict the target category with the highest accuracy. The classification algorithm establishes a connection through the input and output attributes in order to build a model [10], [11]. The volume of data collected in data mining environments is massive. Using the decision tree method is optimal if the data set is properly classified and contains the fewest number of nodes [12], [13]. A Decision Tree (DT) is a tree-based strategy in which every direction between the root and the leaf node is represented by a data separating series

before a Boolean outcome is obtained [14], [15]. It is a hierarchical exemplification of nodes and links in information relationships. Nodes reflect uses as ties are used to distinguish [16]. DT is a form of ML algorithm that is applicable to both classification and regression. It typically makes use of the shape of a binary tree, with each node making a decision by comparing a function to a threshold and dividing the decision route there. Depending on whether the task is grouping or regression, leaf nodes include choices, actual values, or class names [17], [18]. Random Forest (RF) utilizes an ensemble of trees to create trees at random using the training input vector to estimate the output vector, equivalent to producing a random range of weights that is unchanged by previous weight sequences [19]. The best tree is then voted in, and the procedure is replicated a certain number of times, with the best tree being chosen as the corresponding classifier [20]. The K-Nearest Neighbors (KNNs) classifier, also known as the Nearest Neighbor Classifier, is a kind of supervised ML method that is used to classify or predict data. K-NN is incredibly easy to set up and use, yet it excels at specific grouping tasks like economic forecasting [21], [22]. Since it is a non-

parametric approach, it does not have a particular training phase. Instead of classifying a question data point, it observes all of the data. K-NN can no longer make any assumptions regarding the underlying results. This property corresponds to the underlying trend in the vast majority of real-world datasets [23], [24]. The aim of this study is to evaluate the efficiency of the used methods that are based on classification. Besides, the researchers have highlighted the most widely employed techniques as well as the strategies with the best precision.

## II. RELATED WORK

The term data mining is a process of assigning individual objects in a database to one or set of categories or groups. In the phase of classification, the aim is to correctly classify the target class for each instance. This portion offers a survey of the most current and useful approaches to classification in different fields of ML that have been established by researchers in the last two years. Also, it only focuses on decision trees, random forests, and k-Nearest Neighbors as classifiers. Lakhdoura and Elayachi [25] compared the performance of two classifiers methods: J48 (c4.5) and RF on the IRIS features, and the test was executed by the WEKA 3.9.

Therefore, the IRIS plant dataset, one of the most common databases for classification issues, is gained from the ML library at the University of California, Irvine (UCI). In addition, the investigators compared the results of both classifiers on various efficacy assessment measures. The findings showed that the J48 classifier outperforms the Random Forest (RF) classifier for IRIS variety prediction using various metrics such as classification precision, mean absolute error, and time to construct the technique. The J48 classifier has an accuracy of 95.83%, while the Random Forest has an accuracy of 95.55%. Mijwil and Abttan [26] proposed using a C4.5 decision tree to reduce the effects of overfitting. The datasets used were IRIS, Car Assessment, Bottle, and WINE, both of which may be included in the UCI ML library. The trouble with this classifier is that it has so many nodes and divisions, which contributes to overfitting. This overfitting has the potential to sabotage the classification mechanism. The experimental findings showed that the genetic algorithm was efficient in pruning the impact of overfitting on the four datasets and maximizing the trust Confidence Factor (CF) of the C4.5 decision tree, with an accuracy of about 92%. Rana et al. [27]

performed the comparison between Principal Component Analysis (PCA) and Linear Discriminant Analysis (LDA) with Linear Regression (LR) and Random Forest (RF) for IRIS Flower Classification. The suggested distinction between the results of both machine learning and the dimensionality reduction processes. According to the findings, both approaches provide decent classification performance, though the accuracy varies depending on the number of principal components chosen. LDA, on the other hand, outperforms PCA for a defined collection of principal components. The analysis also showed that when the percentage of training data improves, so does the degree of precision. LR and RF were used to classify the data. Both the RF and PCA approaches behave similarly to PCA and LDA. In comparison to the 86% of results provided by PCA, the LDA performs much better, providing 100% accuracy. Gong et al. [28] presented a new evidential clustering algorithm centered on the discovery of "cumulative belief peaks" and the application of the irrefutable K-NN principle. This method's basic assumption is that a cluster center in its neighborhood has the greatest accumulated probability of becoming a cluster center, and that its

neighborhood is relatively big. Iris, Pima, Seeds, Waveform, WDBC, Wine, and Pen-based datasets were all included in the analysis. In the context of belief functions, a new notion of accumulated belief is proposed to quantify such cumulative probability. The scale of the comparatively wide neighborhood is calculated by optimizing an objective function.

The cluster centers are then immediately detected as the objects with the highest collective confidence among their own neighborhood of this magnitude. Finally, a credal partition is formed using the evidential K-NN base and the constant cluster core. Experiment results show that when working with datasets with a limited number of data items and measurements, in a reasonable amount of time, the suggested evidence gathering method will easily classify cluster nodes and reveal data structure in the form of doctrinal sections. When using seeds as a dataset, the best accuracy is obtained, which is 95.26%. Shukla et al. [29] focused around how machine learning algorithms can automatically identify the flower class with a high degree of precision rather than roughly. They used the IRIS dataset, and it is divided into three groups, each with 50

instances. The Iris dataset utilizes deep learning to classify the subclasses of Iris flower. Segmentation, function extraction, and classification are the three steps of this method's implementation. To identify the flower class, Neural Networks (NN), Logistic Regression (LR), Support Vector Machine (SVM), K-NN are utilized. The results showed that the accuracy achieved by each algorithm was as follows: Both NN, LR, and K-NN have an equal precision of 96.67% while a SVM has higher precision than all of which is 98%.

Sugiharti and Putra [30] analyzed the system of TwoDimensional Principal Component Analysis (2DPCA) paired with K-NN is used for facial image recognition. The study employs the 2DPCA system for extraction of features and the K-NN classification techniques for data classification, resulting in the required accuracy score. The image archive from the UCI repository is used by the test participants, and it includes 190 black and white facial images of individuals in different positions (straight, left, correct, up), expressions (neutral, positive, sad, angry), and sizes.

The results showed that the output review of Facial Image Recognition was focused on the 2DPCA process, which was combined

with K-NN. Moreover, the accuracy of 2DPCA is equal to 94.74%, while the K-NN obtained the best accuracy which is 97.37%, when the values of  $k = 1$  and  $k = 2$ , with the smallest recognition errors. Quist et al. [31] presented a permutation-based model for RF approaches that allows for impartial mixed-type data incorporation while still determining relative function significance. The system is adaptable, modular, and can be used across a wide range of studies. They chose breast cancer as a dataset since the causes of certain diseases are complex and include more than one biological agent. The approach's output was measured using modeling experiments and machine learning datasets. There was very little multicollinearity and very little over fitting in the results. The permutation-based approach was extended to multidimensional high-dimensional different datasets from two separate breast cancer cohorts to further evaluate accuracy.

The concordance in relative feature value between the cohorts, as well as accuracy in clustering profiles, illustrated the reproducibility and robustness of our methodology. One of the newly identified clusters has been demonstrated to be predictive of clinical results during standard-

of-care adjuvant chemotherapy, outperforming conventional intrinsic molecular breast cancer classifications. Also, 95% of the cases in the International Cancer Genome Consortium (ICGC) Cluster i5 were Estrogen Receptor-positive (ER-positive). KADHM et al. [32] suggested a Palmprint Recognition System (PRS) that is both precise and effective. The framework used path, Local Binary Pattern (LBP) features, DT (C5.0), and K-NN to isolate and classify features. The College of Engineering Pune (COEP) and the Chinese Academy of Sciences provided palmprint image datasets for the method (CASIA). The method became more efficient and reliable after going through all of the steps, which included preprocessing, segmentation, feature extraction, and classification.

The findings of the comparison show that the device outperforms current processes and procedures. The method can also work accurately in an online recognition manner by using a scanning device to interpret the palmprint images directly, thanks to the efficient recognition stages, especially the classification stage. The PRS had a strong identification accuracy of 99.7% and a low error matching rate of 0.009%. Also, the accuracy of LBP, DT (C5.0), and K-NN are

equal to 92%, 70.25%, and 95%, respectively. Ogundokun et al. [33] investigated the diagnosis of long-sightedness employing three techniques, namely NN, DT, and Back Propagation, resulting in the creation of an Expert System. Furthermore, the information area was extracted from detailed discussions with specialists in the area of eye examination (ophthalmologists) as well as various studies of the literature. The specialist framework was built from the ground up using the C# programming language and MySQL as the database. The NN was trained using back propagation and DT algorithms. According to the signs of the patient, a DT was used to identify and categorize the illness using an information extraction rule.

The designed system's outcome demonstrated how the illness was detected in order to eliminate the neural network's impenetrability. Also, they showed that the hybridization of the three algorithms made the system model accurate and efficient, and eventually, the strategy was validated after implementation. Sarpatwar et al. [34] offered an end-to-end method to support privacy-enhanced decision tree classification using an open-source Homomorphic Encryption Library (HELib). They

demonstrated the classification use case for decision trees with the iris dataset (150 samples, 4 functions, and 3 classes). The comparator and other associated processing in the first stage enable the function values to be within a certain range. Use a number of options to create a decision node, in addition to the ignorant accounts and the argmax feature in g Fully Homomorphic Encryption (FHE). The findings revealed that a highly stable and trustworthy decision tree service can be implemented, and the achieved precision was 98%, meaning that the private solution suited the non-private variant nearly exactly.

### III. DATASET

In this article, three data mining algorithms on classifications are applied to the IRIS dataset from the UCI ML library. There are five characteristics in the data collection,

each of which corresponds to a different iris flower species. Class (Species), Petal Length, Petal Width, Sepal Width, and Sepal Length are the characteristics [35]. There were 50 samples of each genus, totaling 150 examples. For the four non-species defining characteristics, this data form is broken down numerically in (cm) volume. Furthermore, it offers a clear and easy-to-manage presentation [36]. Data mining and deep learning have been extensively applied to clustering for several years for the iris dataset. It was postulated by the British statistician and evolutionary biologist Ronald Fisher in his publication, "On the Analysis of Covariance of Taxonomic Studies," in which he argued that multiple measure testing ought to be preferred to one over one measure for character classification. The IRIS flower types are shown in "Fig. 1", while sample




Fig. 1: IRIS flower types

TABLE 1: SAMPLE INSTANCES FROM IRIS DATASET

	Sepal length	Sepal width	petal length	petal width	species
1	5.1	3.5	1.4	0.2	setosa
2	4.9	3.0	1.4	0.2	setosa
3	4.7	3.2	1.3	0.2	setosa
51	7.0	3.2	4.7	1.4	versicolor
52	6.4	3.2	4.5	1.5	versicolor
53	6.9	3.1	4.9	1.5	versicolor
148	6.5	3.0	5.2	2.0	virginica
149	6.2	3.4	5.4	2.3	virginica
150	5.9	3.0	5.1	1.8	virginica

#### IV. METHODOLOGY

Classification is a data mining strategy for categorizing data instances into one of a few classes. Machine learning classification algorithms are made up of many algorithms that have been designed to outperform one another [37], [38]. They all use statistical methods such as decision trees, linear programming, support machine vectors, and neural networks, among others. To make a guess, these methods examine the available data in a variety of ways [39].




Fig. 2: Simplified diagram of the procedures for building the general pattern classification model [40].

This work focused on decision tree, random forest, and k-Nearest neighborhoods algorithms in general, and they are implemented by the data mining tool known as Weka. “Fig. 2” depicts a simplistic illustration of the procedures for building the general pattern classification technique.

##### A. Decision Tree Classifier



One of the techniques widely used in data mining is the systems that create classifiers [41]. DT is a text and data mining classification algorithm that was used previously. Decision Tree classifiers (DTCs) have been shown to be effective in a variety of classification applications. A hierarchical decomposition of the data space is the framework of this methodology. D. Morgan first suggested, and J.R. Quinlan established the DT as a classification task. The basic concept is to create a tree with classified data points dependent on attributes, but the main problem of a DT is deciding which attributes or features should be at the parent level and which should be at the child level. De Mántaras suggested statistical modeling for feature selection in trees as a solution to this issue [42]. The structure of DT is illustrated in “Fig. 3”.




Fig. 3: Structure of DT

There are several kinds of DT techniques, that contain Iterative Dichotomies 3 (ID3), Successor of ID3 (C4.5), Classification and Regression Tree (CART) [44], CHisquared Automatic Interaction Detector (CHAID) [45], Multivariate Adaptive Regression Splines (MARS) [46], Generalized, Unbiased, Interaction Detection and Estimation (GUIDE), Conditional Inference Trees (CTREE) [43]. The DT method is a supervised linear classifier whose main goal is to provide a training scheme that can be employed to infer judgment principle from a dataset in order to predict the class or value of target variables [44]. The DT algorithm can be used to

overcome regression and classification issues, but it has a range of benefits and drawbacks, which are described in “TABLE 2”.

TABLE 2: DT BENEFITS AND DRAWBACKS [45]

Benefits	Drawbacks
1) Easy to understand. 2) Easily converted into a series of production principles. 3) May distinguish both categorical and numerical results, but only categorical attributes can be produced. 4) No a priori hypotheses are considered when evaluating the quality of the findings.	1) The desired decision-making process may be thwarted, resulting in erroneous judgments. 2) The DT has a number of layers, which makes it fascinating. 3) The DT's estimation difficulty may increase when further training samples are added.

The split of a DT is based on the computation of both entropy and knowledge gain. The impurity or randomness of a dataset is calculated using entropy [46]. The entropy value is always between 0 and 1. Its meaning is higher when it equals 1, and it is bad when it equals 0, i.e., the closer it is to 0, the better. As shown in "Fig. 4." The entropy of the grouping of set S with respect to c states if the objective is G with separate attribute values. As shown in “Equation (1)”.




Fig. 5: The RF structure

A tree is developed utilizing the training test [52], which is able to generate vector that is independent of previous random vectors of the same distribution. In terms of two parameters:

exactitude and interdependence of individual classifiers, an upper bound is extracted for RF to get the generalization error [53]. The RF structure is shown in “Fig. 5”. In 2001, Breman presented the learning model integrated with the primary classifier DT being RF. It uses the bootstrap approach to collect several subsets of samples, then generates a DT from every subclass of items, and then merges those DTs into an RF. When the classification tests are reached, the classification's final result is determined by a ballot on the DT. Scholars usually start by raising the accuracy of the classifier and then decreasing the interaction among classification models [54]. The final reduction of the classification effect is achieved using the RF method in the classifier, where the outcomes of each base classifier's classification have a similar error distribution. Takes the properties of the test and predicts the result based on the rules of each randomly generated DT and stores the predicted result (target). Calculate the number of votes for each projected target [55]. Consider the expected high-voted target to be the RF algorithm's final prediction. “Fig. 6” showed the RF's training phase.




Fig. 6: Random Forest training flowchart

Random forests are a method for classification, regression and other functions, often called random decision forests, which

work by building a large amount of DT during training and then producing the class that is the mode of classification (speciation)

or average estimate (regression) of the different trees. Random decision forests compensate for DTs' proclivity to overfit their training collection [56]. RFs outperform DT in general, but they have benefits and drawbacks, as seen in "TABLE 3".

Another excellent aspect of the RF algorithm is how simple it is to assess the relative value of each feature in the forecast. Sklearn has a fantastic method for measuring the value of a function by looking at how often the tree nodes that use it decrease impurity in the whole forest. After preparation, it calculates this score for each element and scales the scores such that the total importance equals one. You will determine the functionality to remove based on their value since they don't add sufficiently (or even none at all) to the prediction method. This is significant because, in machine learning, the more capabilities you have, the more likely your model is to suffer from overfitting, and vice versa [58].

## V. EXPERIMENTAL RESULTS AND DISCUSSION

The results of applying the DT, RF, and K-NN algorithms to the IRIS datasets, which

are explained in detail in the "TABLE 1", were discovered using a web-based framework developed with Weka. The simulation was performed on a laptop with a Core-I3 processor operating at 2.20 GHz and 4 GB of RAM.

First, the author applies the decision tree and employs the J48 kind, which is an algorithm for generating a decision tree using C4.5 (an extension of ID3). It may also be referred to as a mathematical classifier. Several tests are carried out in order to test the chosen method utilizing the generated dataset. The test mode for evaluation is k-fold CrossValidation (k-fold CV). The k-fold CV is an experimental research technique in which the database is randomly divided into k disjoint entity fragments, the data mining classifier is run using k-1 items, and the remaining block is used to evaluate the method's accuracy. This procedure is repeated k times total. Finally, the reported measurements are averaged. It is normal to use k=10 or some other size based on the initial dataset size. After the experiments are completed with the chosen dataset, the findings are gathered, and an average comparison is performed utilizing the classification and testing modes that are accessible. There are many factors that

affect the results. For starters, the higher the value of cross-validation (k-fold cv), the greater its accuracy, that is, its positive relationship with the other; for example, when the cross-verification process is equal to 10, the accuracy is equal to 94%, while mutual verification equals 50, the accuracy is equal to 96%. The precision of the percentage of split improves as the separation of the tree is In classification, Cross validation tests of various kinds are used. The researcher evaluated the Random Forest's success using a 10-fold CV test in this scenario. The RF is checked on one fold, while the other folds are used for training. The entire test is replicated five times, with the findings eventually being combined. In all cases of implementation, the results do not change. Only the time spent in the process changes. Where the first implementation process takes longer than in other cases, and the average absorption in all cases is equal to 0.028 seconds. The accuracy in all cases does not change and is equal to 99.33%. Cross validation is impacted by the time taken for building the model and the accuracy of the process. The execution of the process is repeated more than five times and each time the cross-verification value changes, its value ranges


between 10 and 60, so the time elapsed and the accuracy of the process varies each time. The time taken to build the model reaches 0.032 seconds as an average and the accuracy.

The researchers evaluated numerous classifiers on IRIS datasets, including DT (j48), RF, and K-NN. The results indicate that due to their differences in functionality, the classifiers offer different resolutions on different datasets. "Tab 11" explained the accuracy, error rate, and time to construct the model. In comparison to Random forests and J48, the K-Nearest Neighbor algorithm performs exceptionally well. The ultimate conclusion of this paper is that K-Nearest Neighbor has the maximum accuracy, minimum error rate, and takes less time to build the model than other classifiers. Also, the Random forest is graded second in comparison to the DT in terms of consistency, which is ranked last, even though the duration of the model's construction is less than that of the random forest, as seen in the table below, and in the "chart 1". The accuracy was determined using the " Equation (5, 6)" as seen below.

$$Accuracy = \frac{TP+TN}{P+N}$$

$$Error Rate = \frac{FP+FN}{P+N}$$

Here are the explained details of the above equation terminology found in the confusion matrix: True Positive (TP) is a consequence of which the sample forecasts the positive class correctly; True Negative (TN) is an outcome which the sample forecasts the negative class accurately; False Positive (FP) is an outcome under which the sample forecasts the positive class incorrectly; False Negative (FN) is an outcome under which the sample forecasts the negative class wrongly; condition Positive (P) the number of real positive cases in the data; condition Negative (N) the number of real negative cases in the data.



**CHART 1: ACCURACY AND ERROR RATE OF CLASSIFIERS**

**VI. COMPARATIVE STUDIES**

Several classification algorithms based on the classifier used in this study were recorded in related works in this article, illustrating the important tasks that were posed by the researchers with each method tested. In this part, the results achieved in this study were compared with the studies that have been achieved by the research in the related work. Study [25] used j48 and RF on IRIS datasets to increase their efficiency and obtained 95.83% accuracy for j48 and 95.55% accuracy for RF, as seen in related work. Compared to this research, the author used j48 and RF to check for IRIS flower, but got better results, with j48 and RF accuracy of 98% and 99.33%, respectively. In the study [29], many optimization methods were used to classify flowers on the IRIS datasets. In comparison to other approaches such as K-NN, LR, and NN, the SVM method had the best precision, which was 98%, according to the evaluation results. However, in this study, the employed classifier performed on the same datasets namely IRIS flowers, while the researcher obtained better performance, which was 100% obtained by K-NN. Although the handprint recognition method was performed using a variety of approaches

in image datasets in the study [32]. The strongest outcome achieved between them is that it has a 99.7% precision. In comparison, three classifiers are used on IRIS based on this research, with much better results than Study [32], where the strongest classifier is the K-NN.

[28]	Iris, Pima, Seeds, Waveform, WDBC, Wine, and Pen-based	- K-NN	K-NN: 95.26%.
[29]	IRIS	- NN - LR - K-NN - SVM	NN: 96.67% LR: 96.67% K-NN: 96.67% SVM: 98%.
[30]	facial images	- 2DPCA - K-NN	- 2DPCA: 94.74% - K-NN: 97.37%
[31]	breast cancer	- RF	RF: 95%
[32]	Images	- PRS - LBP - DT(C5.0) - K-NN	PRS: 99.7% LBP: 92% DT(C5.0): 70.25% K-NN: 95%.
[33]	Eyes images	- NN - DT - Back Propagation	hybridization of the three algorithms make the system model accurate and efficient
[34]	IRIS	- DT	DT: 98%
This Study	IRIS	- DT - RF - K-NN	DT: 98% RF: 99.33% K-NN: 100%

**VII. CONCLUSION**

Nowadays, classification is the most often utilized in machine learning problems with a number of applications such as face recognition, flower classification, clustering, and so on. In order to construct a model, the classification algorithm creates a connection between the input and output characteristics and attempts to predict the target population

with the greatest accuracy. The main objective of this study was to come to a consensus on how well K-nearest neighbors, decision tree (j48), and random forest algorithms performed in IRIS flower classification. According to the findings, both approaches yield strong classification outcomes, and the precision is calculated by the number of principal components used. The analysis also found that when the percentage of training data improves, so does the degree of precision. In comparison to random forest, which achieved 99.33% accuracy, and decision tree (j48), which achieved 98% accuracy, the experimental findings revealed that K-nearest neighbors performed significantly better, achieving 100% accuracy. In the future, analyses on separate data sets will be generated, and different methods will be utilized and mixed to produce improved distinction results.

**REFERENCES**

[1] M. J. H. Mughal, "Data Mining: Web Data Mining Techniques, Tools and Algorithms: An Overview," *Int. J. Adv. Comput. Sci. Appl.*, vol. 9, no. 6, 2018, doi: 10.14569/IJACSA.2018.090630.

[2] D. Q. Zeebaree, A. M. Abdulazeez, O. M. S. Hassan, D. A. Zebari, and J. N. Saeed,

Hiding Image by Using Contourlet Transform. press, 2020.

[3] R. Zebari, A. Abdulazeez, D. Zeebaree, D. Zebari, and J. Saeed, "A Comprehensive Review of Dimensionality Reduction Techniques for Feature Selection and Feature Extraction," *J. Appl. Sci. Technol. Trends*, vol. 1, no. 2, pp. 56–70, 2020.

[4] M. A. Sulaiman, "Evaluating Data Mining Classification Methods Performance in Internet of Things Applications," *J. Soft Comput. Data Min.*, vol. 1, no. 2, pp. 11–25, 2020.

[5] D. Q. Zeebaree, H. Haron, A. M. Abdulazeez, and D. A. Zebari, "Machine learning and region growing for breast cancer segmentation," in *2019 International Conference on Advanced Science and Engineering (ICOASE)*, 2019, pp. 88–93.

[6] S. H. Haji and A. M. Abdulazeez, "COMPARISON OF OPTIMIZATION TECHNIQUES BASED ON GRADIENT DESCENT ALGORITHM: A REVIEW," *PalArchs J. Archaeol. Egypt Egyptol.*, vol. 18, no. 4, Art. no. 4, Feb. 2021.

[7] I. Ibrahim and A. Abdulazeez, "The Role of Machine Learning Algorithms for

Diagnosing Diseases," *J. Appl. Sci. Technol. Trends*, vol. 2, no. 01, pp. 10–19, 2021.

[8] P. Galdi and R. Tagliaferri, "Data mining: accuracy and error measures for classification and prediction," *Encycl. Bioinforma. Comput. Biol.*, pp. 431–6, 2018.

[9] D. Maulud and A. M. Abdulazeez, "A Review on Linear Regression Comprehensive in Machine Learning," *J. Appl. Sci. Technol. Trends*, vol. 1, no. 4, pp. 140–147, 2020.

[10] G. Gupta, "A self explanatory review of decision tree classifiers," in *International conference on recent advances and innovations in engineering (ICRAIE2014)*, 2014, pp. 1–7.

[11] N. S. Ahmed and M. H. Sadiq, "Clarify of the random forest algorithm in an educational field," in *2018 international conference on advanced science and engineering (ICOASE)*, 2018, pp. 179–184.

[12] T. Bahzad and A. Abdulazeez, "Classification Based on Decision Tree Algorithm for Machine Learning," *J. Appl. Sci. Technol. Trends*, vol. 2, no. 01, pp. 20–28, 2021.

[13] D. Q. Zeebaree, H. Haron, and A. M. Abdulazeez, "Gene selection and



classification of microarray data using convolutional neural network,” in 2018 International Conference on Advanced Science and Engineering (ICOASE), 2018, pp. 145–150.

[14] N. M. Abdulkareem and A. M. Abdulazeez, “Machine Learning Classification Based on Radom Forest Algorithm: A Review,” *Int. J. Sci. Bus.*, vol. 5, no. 2, pp. 128–142, 2021.

[15] A. S. Eesa, Z. Orman, and A. M. A. Brifcani, “A novel feature-selection approach based on the cuttlefish optimization algorithm for intrusion detection systems,” *Expert Syst. Appl.*, vol. 42, no. 5, pp. 2670–2679, 2015.

[16] A. S. Eesa, A. M. Abdulazeez, and Z. Orman, “A DIDS Based on The Combination of Cuttlefish Algorithm and Decision Tree,” *Sci. J. Univ. Zakho*, vol. 5, no. 4, pp. 313–318, 2017.

[17] K. Rai, M. S. Devi, and A. Guleria, “Decision tree based algorithm for intrusion detection,” *Int. J. Adv. Netw. Appl.*, vol. 7, no. 4, p. 2828, 2016.

[18] M. Czajkowski and M. Kretowski, “Decision tree underfitting in mining of gene expression data. An evolutionary

multi-test tree approach,” *Expert Syst. Appl.*, vol. 137, pp. 392–404, 2019.

[19] D. M. Abdulqader, A. M. Abdulazeez, and D. Q. Zeebaree, “Machine Learning Supervised Algorithms of Gene Selection: A Review,” *Mach. Learn.*, vol. 62, no. 03, 2020.

[20] S. Dahiya, R. Tyagi, and N. Gaba, “Comparison of ML classifiers for Image Data,” *EasyChair*, 2020.

[21] S. F. Khorshid and A. M. Abdulazeez, “BREAST CANCER DIAGNOSIS BASED ON K-NEAREST NEIGHBORS: A REVIEW,” *PalArchs J. Archaeol. EgyptEgyptology*, vol. 18, no. 4, pp. 1927–1951, 2021.